

発信元：

発信元 FAX 番号：

FAX送信のご案内

送 付 先： カノウセンター	発 信 者： 榊原
会 社 名：	電話番号： 090-6321-1006
FAX 番号：	日 付： 2025/ 1 2 月 0 1 日
電話番号：	送付枚数： 表紙別 5 枚
要件： 熊谷組 野洲病院	

お世話になっております。

マニホールド室 壁 壁はり ざつ 加工帳送信致します。

追加あり 3～4 t

搬入日 1 2 月 0 8 日 AM 8 : 3 0

ユニック希望



















よろしくお願いいたします。

野洲病院

印刷日 2025年 11月 30日 Page 1

M 室

(壁)

	名 称	径	材質	形 状	切寸	本数	箇所	合計	定尺	割	本数	圧接
1		D10	SD295A	100 	3360	11	1	11	3500	1	11	
2		D10	SD295A		3100	11	1	11	6500	2	6	
3		D10	SD295A	100 	3040	11	1	11	6500	2	6	
4		D10	SD295A		2800	11	1	11	6000	2	6	
5		D10	SD295A	400 	2250	22	1	22	4500	2	11	
6		D10	SD295A	470 	4000	11	1	11	4000	1	11	
7	マ=ア.~Lド	D10	SD295A	100 	4850	22	1	22	5000	1	22	
8	12/8 入	D10	SD295A	100 	4500	24	1	24	4500	1	24	
9		D10	SD295A	100 	2710	12	1	12	5500	2	6	
10		D10	SD295A		2450	12	1	12	5000	2	6	
11		D10	SD295A	100 	2980	12	1	12	6000	2	6	
12		D10	SD295A		2750	12	1	12	5500	2	6	
13		D10	SD295A	400 	2750	72	1	72	5500	2	36	
14		D10	SD295A		5000	12	1	12	5000	1	12	
15		D10	SD295A	100 	2370	11	1	11	5000	2	6	
16		D10	SD295A		1750	11	1	11	3500	2	6	
17		D10	SD295A	100 	4120	11	1	11	4500	1	11	
18		D10	SD295A	100 	2580	11	1	11	5500	2	6	
19		D10	SD295A	100 	800	12	1	12	4000	5	3	
20		D10	SD295A	100 	920	12	1	12	5000	5	3	

切重 544.24 Kg













榊原鉄筋工業

野洲病院

印刷日 2025年 11月 30日 Page 2

M 室

(壁)

	名 称	径	材質	形 状	切寸	本数	箇所	合計	定尺	割	本数	圧接
21	腰壁 垂れ壁	D10	SD295A		935	30	1	30	5000	5	6	
22		D10	SD295A		1750	70	1	70	3500	2	35	
23		D13	SD295A		1750	20	1	20	3500	2	10	
24		D10	SD295A		1150	8	1	8	3500	3	3	
25		D10	SD295A		1055	16	1	16	5500	5	4	
26		D10	SD295A		2750	2	1	2	5500	2	1	
27		D13	SD295A		2750	2	1	2	5500	2	1	
28		D13	SD295A		3750	2	1	2	4000	1	2	
29	1/8入	D10	SD295A		3750	2	1	2	4000	1	2	
30		D10	SD295A		1430	12	1	12	4500	3	4	
31		D13	SD295A		1424	2	1	2	4500	3	1	
32		D13	SD295A		2650	24	1	24	5500	2	12	
33		D10	SD295A		2650	210	1	210	5500	2	105	
34		D13	SD295A		2530	36	1	36	5500	2	18	
35		D10	SD295A		2530	210	1	210	5500	2	105	
36		D10	SD295A		410	68	1	68	4500	10	7	
37		D10	SD295A		550	216	1	216	5500	10	22	
38		D13	SD295A		730	80	1	80	4500	6	14	
39	壁 スリーブ BOX 補強筋	D13	SD295A		1100	40	1	40	5500	5	8	
40		D13	SD295A		1750	4	1	4	3500	2	2	

切重 1120.46 Kg

榊原鉄筋工業

野洲病院
M 室 (壁)

印刷日 2025年 11月 30日 Page 3




[illegible]

野洲病院
M 室

(大梁)








印刷日 2025年 11月 30日 Page 5

4

	名 称	径	材 質	形 状	切寸	本数	箇所	合計	定尺	割	本数	圧接
1	F 壁梁	D10	SD295A	4500	4500			12	4500	1	12	
2		D10	SD295A	350 	2000			8	4000	2	4	
3		D10	SD295A	350 	2250			8	4500	2	4	
4		D10	SD295A	350 	2750			8	5500	2	4	
5		D10	SD295A	350 	3250			4	6500	2	2	
6		D10	SD295A	280 	1060			252	5500	5	51	
7		D10	SD295A	190 	390			60	4000	10	6	
8		D16	SD295A	6000	6000			24	6000	1	24	
9		D16	SD295A	630 	2000			5	4000	2	3	
10		D16	SD295A	630 	2250			6	4500	2	3	
11		D16	SD295A	630 	2500			12	5000	2	6	
12		D16	SD295A	630 	2750			6	5500	2	3	
13	12/8λ	D16	SD295A	630 	3000			11	6000	2	6	
14		D16	SD295A	630 	3500			12	3500	1	12	
15		D16	SD295A	630 	3750			6	4000	1	6	
16		D16	SD295A	630 	4000			6	4000	1	6	
17		D16	SD295A	630 	4250			6	4500	1	6	
18		D16	SD295A	3050 	4246			2	4500	1	2	
19		D16	SD295A	3050 	4250			3	4500	1	3	

切重 827.87 Kg

榊原鉄筋工業

	名 称	径	材質	形 状	切寸	本数	箇所	合計	定尺	割本数	圧接
1	キャンチスラブ	D10	SD295A		680	22	1	22	3500	5	5
2		D10	SD295A		1200	22	1	22	6000	5	5
3		D10	SD295A		1640	2	1	2	5000	3	1
4		D13	SD295A		1640	2	1	2	5000	3	1
5		D13	SD295A		1728	1	1	1	3500	2	1
6		D10	SD295A		1740	4	1	4	3500	2	2
7		D10	SD295A		2020	2	1	2	4500	2	1
8		D13	SD295A		2020	2	1	2	4500	2	1
9		D13	SD295A		2108	1	1	1	4500	2	1
10		D10	SD295A		2120	4	1	4	4500	2	2
11											
	1/8λ										