






































	名 称	形 状	径	切寸	本数	箇所	合計	定尺	割	本数	圧接
1	1/24	 300 230 60 315×4	SD295A	D10	2000		6	4000	2	3	
2	1/23 8:30	 300 230 60 315×5 500	SD295A	D10	2710		6	5500	2	3	
3		 SD295A	D13	2500			2	5000	2	1	
4		 150 SD295A	D13	1000			2	5000	5	1	
5		 150 980 SD295A	D13	1100			2	5500	5	1	
6		 250 980 SD295A	D13	1200			2	6000	5	1	
7		 250 980 SD295A	D13	1210			2	5000	4	1	
8		 250 980 SD295A	D13	1250			2	5000	4	1	
9		 350 980 SD295A	D13	1300			96	4000	3	32	
10		 150 980 SD295A	D13	1700			6	3500	2	3	
11		 150 980 SD295A	D13	2000			5	4000	2	3	
12		 250 980 SD295A	D13	2000			6	4000	2	3	
13		 150 980 SD295A	D13	2150			2	4500	2	1	
14		 250 980 SD295A	D13	2250			7	4500	2	4	
15		 150 980 SD295A	D13	2250			1	4500	2	1	
16		 150 980 SD295A	D13	3500			8	3500	1	8	
17		 350 980 SD295A	D13	3750			8	4000	1	8	
18		 150 560 SD295A	D13	840			1	6000	7	1	
19		 250 560 SD295A	D13	1040			1	6500	6	1	
20		 150 960 SD295A	D13	1240			1	5000	4	1	

重量 312.98 Kg(切重 271.50 Kg)

	名 称	形 状	径	切寸	本数	箇所	合計	定尺	割本数	圧接
21		 250 960 SD295A	D13	1440			1	4500	3	1
22		 150 460 500 400 500 SD295A	D13	1090			1	5500	5	1
23		 150 470 500 400 500 SD295A	D13	1100			1	5500	5	1
24		 250 420 500 400 500 SD295A	D13	1150			1	3500	3	1
25		 250 440 500 400 500 SD295A	D13	1170			1	6000	5	1
26		 150 630 500 400 500 SD295A	D13	1260			2	4000	3	1
27		 250 590 500 400 500 SD295A	D13	1320			2	4000	3	1
28		 150 830 500 400 500 SD295A	D13	1460			2	4500	3	1
29		 250 790 500 400 500 SD295A	D13	1520			2	5000	3	1
30		 150 1030 500 400 500 SD295A	D13	1660			2	5000	3	1
31		 250 990 500 400 500 SD295A	D13	1720			2	3500	2	1
32		 150 1230 500 400 500 SD295A	D13	1860			2	4000	2	1
33		 250 1190 500 400 500 SD295A	D13	1920			2	4000	2	1
34		 150 1430 500 400 500 SD295A	D13	2060			2	4500	2	1
35		 250 1390 500 400 500 SD295A	D13	2120			2	4500	2	1
36		 150 1630 500 400 500 SD295A	D13	2260			2	5000	2	1
37		 250 1590 500 400 500 SD295A	D13	2320			2	5000	2	1
38		 150 920 500 400 500 SD295A	D13	1550			1	5000	3	1
39		 250 880 500 400 500 SD295A	D13	1610			1	5000	3	1
40		 150 1090 500 400 500 SD295A	D13	1720			1	3500	2	1

	名 称	形 状	径	切寸	本数	箇所	合計	定尺	割	本数	圧接
41		 250 1050 500 400 SD295A	D13	1780			1	5500	3	1	
42		 150 1290 500 400 SD295A	D13	1920			1	4000	2	1	
43		 250 1250 500 400 SD295A	D13	1980			1	4000	2	1	
44		 150 1490 500 400 SD295A	D13	2120			1	4500	2	1	
45		 250 1450 500 400 SD295A	D13	2180			1	4500	2	1	
46		 150 1690 500 400 SD295A	D13	2320			1	5000	2	1	
47		 250 1650 500 400 SD295A	D13	2380			1	5000	2	1	
48		 150 1850 500 400 SD295A	D13	2480			7	5000	2	4	
49		 150 1890 500 400 SD295A	D13	2520			1	5500	2	1	
50		 250 1850 500 400 SD295A	D13	2580			1	5500	2	1	
51		 250 1890 500 400 SD295A	D13	2620			7	5500	2	4	
52		 150 2090 500 400 SD295A	D13	2720			1	5500	2	1	
53		 250 2050 500 400 SD295A	D13	2780			1	6000	2	1	
54		 300 230 315 x4 60 SD295A	D13	2000			6	4000	2	3	
55		 300 230 315 x5 60 SD295A	D13	2710			6	5500	2	3	
56		 500 2470 500 400 SD295A	D13	3420			6	3500	1	6	
57		 500 500 400 SD295A	D13	1000			6	5000	5	2	
58		 2300 500 400 SD295A	D13	2800			12	6000	2	6	
59		 2470 500 400 SD295A	D13	2950			6	6000	2	3	