
















	名 称	形 状	径	切寸	本数	箇所	合計	定尺	割	本数	圧接
12	12/14 SE竹島 2階梁 8:15 加賀田		SD390	D35	7000		48	7000	1	48	
2			SD390	D35	6300		28	6500	1	28	
3			SD390	D35	6100		4	6500	1	4	
4			SD390	D35	4000		7	4000	1	7	
5			SD390	D35	6500		8	6500	1	8	
6			SD390	D35	7000		4	7000	1	4	
7			SD390	D35	7000		4	7000	1	4	
8		 W52 110 70	SD295	D10	280 240		112	5000	20	6	
9		 W52 660	SD295	D10	930 820		84	6000	7	12	
10		 580	SD295	D10	780		116	4000	5	24	
11		 430	SD295	D10	630		8	6500	10	1	
12		 W52 760 430	SD295	D13	2150 2110		17	4500	2	9	
13		 W52 430 135	SD295	D13	700 690		34	3500	5	7	
14		 W52 760	SD295	D13	1030 1020		17	6500	6	3	
15		 770	SD295	D10	2570		16	5500	2	8	
16			SD295	D10	2750		4	5500	2	2	
17			SD295	D10	3500		24	3500	1	24	
18		 W52 710 430	SD295	D13	2050 2010		17	4500	2	9	
19		 W52 710	SD295	D13	980 970		17	5000	5	4	
20		 70 530 660	SD295	D13	1700		11	3500	2	6	

切重 5382.40 Kg

	名 称	形 状	径	切寸	本数	箇所	合計	定尺	割	本数	圧接
21	2/14 SE竹島 2階梁 8:15 加賀田	 500 SD295	D13	2750			2	5500	2	1	
22		 500 SD295	D10	2750			1	5500	2	1	
23		 300 SD345	D22	4500			60	4500	1	60	
24		 600 230 SD295	D10	1550			102	5000	3	34	
25		 230 135 SD295	D10	450			102	4500	10	11	
26		 230 SD295	D10	430			24	4500	10	3	
27		 SD295	D10	4000			16	4000	1	16	
28		 580 580 SD295	D13	1900			67	4000	2	34	
29		 580 135 SD295	D13	850			67	6000	7	10	
30		 700 SD345	D19	4500			6	4500	1	6	
31		 250 SD345	D19	4000			6	4000	1	6	
32		 SD345	D19	6000			2	6000	1	2	
33		 170 620 SD295	D10	1700			34	3500	2	17	
34		 170 SD295	D10	370			8	4000	10	1	
35		 530 SD295	D10	730			24	4500	6	4	
36		 SD345	D19	3500			1	3500	1	1	
37		 SD345	D22	3500			1	3500	1	1	
38		 SD390	D35	3500			1	3500	1	1	
39		 1000 SD345	D19	5000			3	5000	1	3	
40		 700 SD345	D19	4000			3	4000	1	3	

切重 1458.12 Kg

	名 称	形 状	径	切寸	本数	箇所	合計	定尺	割	本数	圧接
41	2/14 SE竹島 2階梁 8:15 加賀田	 400	SD345	D19	4000		3	4000	1	3	
42		 400	SD345	D19	4500		3	4500	1	3	
43			SD345	D19	7000		12	7000	1	12	
44			SD345	D19	5500		8	5500	1	8	
45		 620 180	SD295	D10	1540		100	5000	3	34	
46		 180 135	SD295	D10	380		100	4000	10	10	
47		 180	SD295	D10	380		23	4000	10	3	
48		 100 70	SD295	D10	240		16	5000	20	1	
49		 180	SD295	D10	1200		20	6000	5	4	
50		 230	SD295	D10	1250		18	5000	4	5	
51		 580	SD295	D13	1850		34	4000	2	17	
52		 230 140 140	SD295	D10	700		5	3500	5	1	
53		 580 140 140	SD295	D10	1100		5	5500	5	1	
54		 700	SD295	D16	4500		5	4500	1	5	
55	8.9.12.13.14.18.19は D35が入るように1サイズ大きいワッパで曲げてください										