








野洲病院
B工区RF

(基礎)

印刷日 2026年 1月 17日 Page 2

	名 称	径	材質	形 状	切寸	本数	箇所	合計	定尺	割	本数	圧接
1	設備基礎 梁型	D10	SD295A		2385			30	5000	2	15	
2	1/22 8:30	D10	SD295A		2535			4	5500	2	2	
3		D10	SD295A		2535			4	5500	2	2	
4		D10	SD295A		2635			4	5500	2	2	
5		D10	SD295A		2635			6	5500	2	3	
6		D10	SD295A		3000			4	6000	2	2	
7		D10	SD295A		3335			7	3500	1	7	
8		D10	SD295A		1635			54	5000	3	18	
9		D10	SD295A		1620			28	5000	3	10	
10		D10	SD295A		1820			66	5500	3	22	
11		D10	SD295A		1840			45	4000	2	23	
12	1/22λ	D10	SD295A		1860			30	4000	2	15	
13		D10	SD295A		1880			14	4000	2	7	
14		D10	SD295A		1920			35	4000	2	18	
15		D10	SD295A		1960			91	4000	2	46	
16		D10	SD295A		2000			35	4000	2	18	
17		D10	SD295A		2260			34	5000	2	17	
18		D10	SD295A		400			29	4000	10	3	
19		D10	SD295A		500			48	5000	10	5	
20		D10	SD295A		600			7	6000	10	1	

切重 562.47 Kg


榊原鉄筋工業

[illegible]

野洲病院
B工区RF

(基礎)

印刷日 2026年 1月 17日 Page 5

	名 称	径	材質	形 状	切寸	本数	箇所	合計	定尺	割本数	圧接
1	設備基礎 柱型	D10	SD295A	275 	1235			2	5000	4	1
2		D10	SD295A	770 	1730			8	3500	2	4
3		D10	SD295A	300 	1320			104	4000	3	35
4		D10	SD295A	400 	2120			5	4500	2	3
5		D10	SD295A	500 	2120			19	4500	2	10
6		D10	SD295A	170 	800			98	4000	5	20
7		D13	SD295A	800 	3356			10	3500	1	10
8		D16	SD295A	600 	1168			32	6000	5	7
9		D16	SD295A	650 	1268			16	4000	3	6
10		D19	SD345	540 	1170			16	6000	5	4
11		D19	SD345	650 	1282			8	4000	3	3
12		D19	SD345	640 	1300			8	4000	3	3
13		D19	SD345	670 	1300			24	4000	3	8
14		D19	SD345	730 	1350			8	5500	4	2
15		D19	SD345	510 	1434			4	4500	3	2
16	1/22入	D19	SD345	540 	1362			16	5500	4	4
17		D19	SD345	650 	1470			8	4500	3	3
18		D19	SD345	640 	1500			4	4500	3	2
19		D19	SD345	670 	1500			24	4500	3	8
20		D19	SD345	730 	1550			4	5000	3	2

切重 661.71 Kg

榊原鉄筋工業

野洲病院
B工区RF

(基礎)

印刷日 2026年 1月 17日 Page 26

[illegible]