





















	名 称	径	材質	形 状	切寸	本数	箇所	合計	定尺	割	本数	圧接
1	6/2 9:00	D10	SD295A	500 	1450			32	4500	3	11	
2	人通口、カマバ	D10	SD295A	500 	1800			4	5500	3	2	
3		D13	SD295A	500 	500			8	5000	10	1	
4		D13	SD295A	900 	900			10	4500	5	2	
5		D13	SD295A	1200 	1200			74	6000	5	15	
6		D13	SD295A	500 	1450			88	4500	3	30	
7		D13	SD295A	150 	600			16	6000	10	2	
8		D13	SD295A	470 	1240			16	5000	4	4	
9		D13	SD295A	470 	1340			10	5500	4	3	
10		D13	SD295A	470 	1360			96	5500	4	24	
11		D13	SD295A	470 	1380			10	4500	3	4	
12		D13	SD295A	500 	1400			30	4500	3	10	
13		D13	SD295A	500 	1440			30	4500	3	10	
14		D13	SD295A	570 	1540			10	5000	3	4	
15		D13	SD295A	570 	1580			10	5000	3	4	
16		D13	SD295A	1250 	2750			7	5500	2	4	
17		D13	SD295A	1620 	3100			5	6500	2	3	
18		D13	SD295A	500 	2070			2	4500	2	1	
19		D13	SD295A	830 	2020			75	4500	2	38	
20		D13	SD295A	150 	385			75	4000	10	8	



